

BLUNTS

MYTHS & REALITIES



Visit kickitca.org
for free help
quitting vaping.

Myth: Blunt wrappers don't contain nicotine.

Reality: A blunt wrap is almost always made of a tobacco leaf. **Nicotine is naturally occurring in tobacco leaves** and is highly addictive.

Myth: You can't get addicted to marijuana.

Reality: **17% of young people who start using marijuana become addicted** to it.¹ When smoking blunts, users aren't just inhaling marijuana smoke, but also tobacco, which contains the addictive drug, nicotine.

Myth: Marijuana is now legal in California so it must be safe.

Reality: Just because a product is legal doesn't mean it is safe. **Inhaling any burned product is harmful** to the lungs. Aside from lung health, **regular marijuana use by young people is associated with lower IQ scores, impaired school performance, and higher school dropout rates.**^{2,3,4}

Myth: Marijuana smoke isn't as bad as cigarette smoke.

Reality: Secondhand **marijuana smoke has more than twice as much tar and ammonia as tobacco smoke**, and more than 8 times as much hydrogen cyanide, which is found in pesticides.⁵ Smoke from blunts is a combination of poisons found in marijuana and tobacco smoke.

Myth: Marijuana must be safe because some doctors write prescriptions for it.

Reality: **Marijuana** is not an approved medicine and **can have some severe side effects, such as hallucinations, paranoia, anxiety, panic attacks, memory loss, abdominal pain, and recurring vomiting.**^{6,7} Smoking blunts combines marijuana with tobacco, a product known to cause death and disease.

© 2020, California Youth Advocacy Network. This material was made possible by funds received from the California Department of Public Health, under contract #14-10013.

1. Lacson, J., et al., Population-Based Case-Control Study of Recreational Drug Use and Testis Cancer Risk Confirms an Association Between Marijuana Use and Nonseminoma Risk. *Cancer*, 2012 118 (21): p. 5374-5383.

2. Austin, G., et al., School Climate, Substance Use, and Student Well-Being in California, 2013-2015, in Results of the Fifteenth Biennial Statewide Student Survey, Grades 7, 9, and 11, 2016, WestEd Health & Human Development Program: San Francisco.

3. Schreiner, A. and M. Dunn, Residual Effects of Cannabis Use on Neurocognitive Performance after Prolonged Abstinence: A

Meta-Analysis. *Experimental and Clinical Psychopharmacology*, 2012. 20(5): p. 420.

4. Hall, W., What Has Research Over the Past Two Decades Revealed about the Adverse Health Effects of Recreational Cannabis Use? *Addiction*, 2015. 110(1): p. 19-35.

5. Moir, D., et al., A Comparison of Mainstream and Sidestream Marijuana and Tobacco Cigarette Smoke Produced under Two Machine Smoking Conditions. *American Chemical Society*, 2008. 21: p. 494-502.

6. Freeman, D., et al., How cannabis causes paranoia: using the intravenous administration of 9-tetrahydrocannabinol (THC) to identify key cognitive mechanisms leading to paranoia. *Schizophr Bull*, 2015. 41(2): p. 391-399.

7. Allen, J. H., et al, Cannabinoid Hyperemesis: Cyclical Hyperemesis in Association with Chronic Cannabis Abuse. *Gut*, 2004. 53(11): p. 1566-1570.